



EXCLUSIVE TO



COLOUR: GOLDEN ASH

HYBRID FLOORING

WATERPROOF, SCRATCH & IMPACT RESISTANT

WWW.SAHARAFLOORING.COM.AU



COLOUR: ALMOND

“They can be installed in bathrooms, kitchens and in any room in your home. Acclimatization is not required.”

HYBRID FLOORING WATERPROOF & IMPACT RESISTANT

Instead of using wood, stone is used with a silica core resulting in a flooring material that is made from waterproof ingredients to begin with.

This is called SPC (Stone Polymer Composite) and it has 20 times x impact resistant than base laminates. SPC Floors are also fire resistant.

Our Hybrid Flooring utilises patented Valinge click technology and a micro bevel on four sides, that makes this floating floor easy to install with no adhesives needed.

It is 100% waterproof and made with 100% recyclable solid composite of stone, PVC and calcium providing dimension, stability and durability.

Is it slip resistant?

Our product meets AS 4586:2013 Slip resistance classification of new pedestrian surface materials, Appendix A - Wet Pendulum Test score is P3 with a slip resistant value of 38.



The measured concentration of the volatile organic compounds (VOC) FloorScore® product certification is TVOC Range: 0.5 mg/m³ or less. Products bearing the FloorScore label meet the indoor air quality emissions criteria and are recognized by a long list of healthy building programs.

HYBRID FLOORING RANGE

6MM THICK PLANKS COMPRISING A HEAVY DUTY WEAR LAYER FEATURING A DECORATIVE LAYER REPLICATING THE LOOK OF HARDWOOD WITH 4.5MM SPC CORE AND 1.5MM ACOUSTIC UNDERLAY.

A PRE-ADHERED ACOUSTIC UNDERLAY DELIVERS IMPROVED ACOUSTICS AND COMFORT UNDERFOOT AS WELL AS DECREASING INSTALLATION COSTS. CHOOSE FROM A STUNNING SELECTION OF NATURAL STYLES THAT WILL ADD INSTANT APPEAL TO ANY SPACE.



Golden Ash

SIZE: 1545X 180 X 6MM
9 PLANKS / 2.5029M2 PER BOX



French Grey

SIZE: 1545X 180 X 6MM
9 PLANKS / 2.5029M2 PER BOX



Chestnut

SIZE: 1545X 180 X 6MM
9 PLANKS / 2.5029M2 PER BOX



Iron Bark

SIZE: 1545X 180 X 6MM
9 PLANKS / 2.5029M2 PER BOX



Coastal Drift

SIZE: 1545X 180 X 6MM
9 PLANKS / 2.5029M2 PER BOX



Almond

SIZE: 1545X 180 X 6MM
9 PLANKS / 2.5029M2 PER BOX

FLOORING CARE

Taking care of your Hybrid flooring is simple with a few tips here to follow:

After installation, all dirt & debris should be removed immediately & the floor swept clean. For general everyday cleaning, ordinary vacuuming or sweeping is usually sufficient to keep the floor clean. If needed, occasionally clean with a damp mop.

Always use clean water. All spills should be cleaned up immediately. For tough spots, such as oil, paint, markers, ink, or tar, use a mild alcohol with a clean cloth, then wipe the area with a damp cloth to remove any remaining residue.

Never use wax, polish, abrasive or scouring agents as they may dull or distort the finish. Do not use soap, oil-soap detergent, or any other liquid cleaning material. Wet mopping may cause swelling of the subfloor, quads or architraves, warping, delimitation, joint line separation or other damage that is not covered by your warranty.



COLOUR: CHESTNUT

Care for a newly finished floor:

- Put floor protectors on the bottom of all furniture and anything else that is hard and will make contact and might rub on the timber floor. (Lift and do not slide chairs.)
- Do not allow pets with unclipped nails to scratch or damage the floor
- Use doormats at entrances & kitchens to protect the floor from losing gloss
- Avoid using rubber backed rugs, as they may stain or discolour the flooring
- Use drapes to minimise direct sunlight during peak sunlight hours
- It's a good idea to save a few planks in case of accidental damage
- Planks can be replaced or repaired by a flooring professional
- Heavy items such as fridges are moved carefully into position and at no time should they be dragged over newly finished floors
- Steam mops can cause peeling of finish, whitening of the finish and a cloudy finish
- Continual walking on a dirty floor may damage the finish
- Use walk off, walk on mats and area rugs at all doorways (keep door mats clean)

Hybrid is robust however please take caution:

- Wipe up all spills immediately. Many beverages may stain finishes if left on the floor
- Keep your home at normal living conditions—no extremes of humidity or temperature
- Prolonged exposure to sunlight can accelerate the aging of the coating
- Don't wear shoes with stiletto heels on your floor. Remove shoes at the door to avoid potentially dragging in sharp objects in your shoe treads.

Establishing regular cleaning will greatly assist in keeping floors in pristine condition. Always read the manufacturer's instructions before using any cleaning solution and never spray them directly onto the floor.

WARRANTY

- Hybrid Flooring - The Customer has a twenty five (25) year manufacturers warranty on the goods.
- The Customer has a twelve (12) month warranty on Installation from the date of completion.

A full description of the warranty terms and conditions is available on saharaflooring.com.au

This stunning range will transform your floor. With no need to seal, installation is quick and easy. Underlay is pre-attached. You'll be able to walk on your new floor the very same day.



COLOUR: FRENCH GREY



Colours

COLOUR: COASTAL DRIFT

Choose from our natural palette inspired for modern homes. Our Coastal Drift colour is popular for its overall light finish with interesting faux wood grains and knots. While Iron Bark in contrast is a deep red brown, inspired by the tree species with fissures. Each colour being close to nature that will have visitors looking twice to know if its real wood or not!



COLOUR: IRON BARK



EXCLUSIVE TO



We reserve the right to amend products and services outlined, check our website for current information.
Actual colours may vary due to print constraints.

www.saharaflooring.com.au